

 **REAL-EL**

USER'S MANUAL



GAMING OPTICAL MOUSE

RM-780 GAMING RGB

Congratulations on purchasing the TM REAL-EL PC mouse!

Please read this User's Manual before using the unit and retain this User's Manual in a safe place for future reference.

COPYRIGHT

© 2018. ENEL GROUP OU. This Manual and information contained in it are copyrighted. All rights reserved. All trademarks are the property of their legal holders.

NOTICE OF RESPONSIBILITY RESTRICTION

Despite the exerted efforts to make this Manual more exact, some discrepancies may occur. The information of this Manual is given on "as is" terms. The author and the publisher do not bear any liability to a person or an organization for loss or damages which have arisen from the information contained in the given Manual.

PACKAGE CONTENTS

- Optical Mouse – 1 pc
- User's Manual – 1 pc
- Warranty card – 1 pc

SPECIAL FEATURES

- Any surface performance
- Avago high-precision gaming sensor
- Two navigation buttons (Forward and Back)
- 4000 dpi maximum resolution
- Cable fabric braid
- Contour RGB backlight
- Extra settings by software

SYSTEM REQUIREMENTS

- Windows XP/Vista/7/8/10.
- Free USB port.

DESCRIPTION

- ❶ Scroll wheel
- ❷ Move forward
- ❸ Move backward
- ❹ DPI resolution switch +/-

INSTALLATION

- Connect the mouse to an available USB port of your PC.
- Installation of the mouse is automatic after its connection to a PC USB port.




Fig. 1. Top view

TROUBLESHOOTING

Problem	Solution
The mouse is not working.	<ol style="list-style-type: none"> 1. Disconnect the mouse from the PC and check connector pins for possible damage. If there is no external damage found and connector pins are OK, connect the mouse to the PC. 2. Address your nearest authorized service center.

TECHNICAL SPECIFICATIONS

Parameter, measurement unit	Value
Quantity of buttons	6 + 1 (scroll wheel)
Optical resolution, dpi	500/1000/1500/2000/3000/4000
Maximum frame rate, fps	6666
Maximum acceleration, g	20
Maximal tracking speed, m/sec	1.52
Maximum polling rate, Hz	250
Cable length, m	1.8
Support	Windows XP/Vista/7/8/10
Interface	USB
Conformity with	FCC, CE
Dimensions, mm	128 × 77 × 33
Weight, g	170

Notes:

- **Technical specifications given in this table are supplemental information and cannot give occasion to claims.**
- **Technical specifications and package contents are subject to change without notice due to improvement of TM REAL-EL production.**

Extra settings by software.

The extra settings are available using the software, the driver can be downloaded at www.real-el.com



Model: **RM-780 GAMING RGB**

Manufacturer: ENEL GROUP OU, Katusepapi tn 6, Lasnamäe district, Tallinn city, Harju county, 11412, Estonia. Made in China.

© Registered Trademark of ENEL GROUP OU. Estonia.