



## USER'S MANUAL



**TYPE C MULTIFUNCTION DOCKING STATION**

**CQ-1000**

## ***Congratulations on your purchase of the REAL-EL Type C Multifunction docking station!***

### **COPYRIGHT**

© 2020. ENEL GROUP OU.

This Manual and information contained in are copyrighted. All rights reserved.

### **TRADEMARKS**

All trademarks are the property of their legal holders.

### **NOTICE OF RESPONSIBILITY RESTRICTION**

Despite the exerted efforts to make this Manual more exact, some discrepancies may occur. The information in this Manual is given on “as is” terms. The author and the publisher do not bear any liability to a person or an organization for loss or damage, which has arisen from the information contained in this Manual.

### **APPLICATION**

Designed for use with all types of docking devices that can be connected via Type C port and support all necessary data transfer protocols.

### **PACKAGE CONTENTS**

- Type C Multifunction docking station – 1 pc
- User’s Manual – 1 pc
- Warranty card – 1 pc

### **SAFETY PRECAUTIONS**


- Use only as intended.
- Do not use long time outdoors.

**SPECIAL FEATURES**

- Built-in cable
- No power required
- 100W PD charging
- SD/TF fast speed
- 3.5 mm Audio compatible with OMTP 48 Kbit headphones
- Premium cooling for your laptop
- Aluminum alloy enclosure
- Soft silicone non-slip pad

**CONNECTION AND OPERATION**

- Plug the Type C cable into the appropriate Type C port of the device you want to connect to.
- Usage example is shown in the diagram and depends on the needs of the user and the capabilities of the connected devices.



\* Power Delivery charger not included

**Attention!**

- A 4K compatible display and 4K compatible HDMI cable are required to achieve 4K resolution.
- This usb dock is 1080P at 30Hz while using HDMI and VGA ports at the same time. Support extended mode and mirror mode but the two external screens will only show the same picture.
- It is not recommended to use USB 3.1 Type-A ports for charging. The USB 3.1 port is used for data transfer.
- It may feel warm to the touch during use. Thermal energy is generated when the device is in operation.

**TECHNICAL SPECIFICATIONS**

Input	USB Type C, PD
Output	3×USB A 3.1, USB-C, HDMI, RJ45, audio 3.5 mm, SD/TF, VGA, USB-C PD
HDMI	Full HD 60Hz, 4K 30 Hz
VGA	up to 1920 x 1080@ 60Hz
RJ45 Gigabit Ethernet (Auto adaptation)	10/100/1000 Mbps
Power Delivery	up to 100 W charging
USB-A 3.1 (gen 1)	up to 5 Gbps
SD/TF card slot	480 Mbps Max
3.5 mm Audio	compatible with OMTP 48K bit headphones
Cable Length	400 mm
Product Size	270.7 x 45.3 x 16.5 mm
Compatibility	Mac OS/iPad OS/Windows/Android/LINUX

**Notes:**

- Technical specifications given in this table are supplemental information and cannot give occasion to claims.
- Technical specifications and package contents are subject to change without notice due to the improvement of TM REAL-EL production.



Manufacturer: ENEL GROUP OU, Harju maakond, Rae vald, Jüri alevik, Aruküla tee 55a, 75301, Estonia.  
® Registered Trademark of ENEL GROUP OU. Estonia.