

 **REAL-EL**

**USER'S MANUAL**



OPTICAL MOUSE  
**RM-525**

***Congratulations on purchasing the TM REAL-EL PC mouse!*****COPYRIGHT**

© 2020. ENEL GROUP OU.

This Manual and information contained in are copyrighted.

All rights reserved.

**TRADEMARKS**

All trademarks are the property of their legal holders.

**1. SAFETY PRECAUTIONS**

- Protect your mouse from high humidity, dust or high temperatures.
- Do not use gasoline, spirit or other dissolvents for cleaning. This may cause damage to the surface. Clean the outside of the mouse with soft cloth.
- Do not attempt to disassemble or repair your device.
- Protect the device against powerful shocks and falls – they may damage the internal electronics.

**2. PACKAGE CONTENTS**

- Optical Mouse – 1 pc
- User's Manual – 1 pc
- Warranty card – 1 pc

### 3. SPECIAL FEATURES

- High precision optical sensor
- Gaming and office performance
- DPI switch with backlit color feedback
- Scroll wheel with rubber insert
- Stylish backlit

### 4. SYSTEM REQUIREMENTS

- Windows XP/Vista/7/8/10.
- Free USB port.

### 5. CONNECTION AND INSTALLATION

- Connect the mouse to an available USB port of your PC.
- Turn on your PC. Installation of the mouse is automatic.
- In addition to the left and right buttons, the mouse also has a scroll wheel combined with the third button. The scroll wheel enables you to look through and turn pages of documents in Windows OS.

### 6. TROUBLESHOOTING

Problem	Solution
The mouse is not working.	<ol style="list-style-type: none"><li>1. Disconnect the mouse from your PC and check the connector pins for possible damage. If there is no external damage found and the connector pins are OK, connect the mouse to your PC again.</li><li>2. Address your nearest authorized service center.</li></ol>

**TECHNICAL SPECIFICATIONS**

<b>Parameter, measurement unit</b>	<b>Value</b>
OS compatibility	Windows XP/Vista/7/8/10
Resolution, dpi	800/1200/1600/2400
Quantity of buttons	6 + 1 (scroll wheel)
Maximum frame rate, fps	4000
Maximum acceleration, g	8
Maximal tracking speed, ips	30
Interface	USB
Conformity with	FCC, CE
Cable length, m	1,8
Dimensions, mm	125 × 70 × 30
Weight, g	110

**Notes:**

- *Technical specifications given in this table are supplemental information and cannot give occasion to claims.*
- *Technical specifications and package contents are subject to change without notice due to the improvement of REAL-EL production.*



Models: **RM-525**

Manufacturer: ENEL GROUP OU, Harju maakond, Rae vald, Jüri alevik, Aruküla tee 55a, 75301, Estonia.

© Registered Trademark of ENEL GROUP OU. Estonia.